

PETITION FOR EXTENSION OF TIME UNDER 37 CFR 1.136(a)		Docket Number (Optional) 742114-14
In re Application of Flemming MUNK		
Application Number 10/531,181		Filed 04/11/2005
For METHOD FOR ARBITRARY TWO-DIMENSIONAL SCALING OF PHONOCARDIOGRAPHIC SIGNALS		
Group Art Unit 3766		Examiner Jon Eric C. Morales

This is a request under the provisions of 37 CFR 1.136(a) to extend the period for filing a reply in the above identified application.

The requested extension and appropriate entity fee are as follows  
(check time period desired):

- ☐ One month (37 CFR 1.17(a)(1)) - (\$60/\$120) \$ \_\_\_\_\_  
☒ Two months (37 CFR 1.17(a)(2)) - (\$230/\$460) \$460.00  
☐ Three months (37 CFR 1.17(a)(3)) - (\$525/\$1050) \$ \_\_\_\_\_  
☐ Four months (37 CFR 1.17(a)(4)) - (\$820/\$1640) \$ \_\_\_\_\_  
☐ Five months (37 CFR 1.17(a)(5)) - (\$1115/\$2230) \$ \_\_\_\_\_
- ☐ Applicant claims small entity status.  
☐ A check to cover the fee is enclosed.  
☐ Payment by credit card. Form PTO-2038 is attached.  
☐ The Commissioner has already been authorized to charge fees in this application to a Deposit Account.  
☒ The Commissioner is hereby authorized to charge any fees which may be required, or credit any overpayment, to Deposit Account Number 50-2478(742114-14).

**WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.**

I am the ☐ applicant/inventor

- ☐ assignee of record of the entire interest. See 37 CFR 3.71.  
 Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96).  
☒ attorney or agent of record.  
☐ attorney or agent under 37 CFR 1.34(a).

Registration number if acting under 37 CFR 1.34(a) \_\_\_\_\_

	June 17, 2008
_____ Signature	_____ Date
David S. Safran	703-584-3273
_____ Typed or printed name	_____ Telephone Number

NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below.